

# ayy

## TKY 5 Rescue Plan



TKY 5 rescue plan

Completed Jan 2, 2013

Author Pelsu Asiantuntijat

Last updated Jan 3, 2024

Updater Hannes Helminen

This rescue plan was made using the Pelsu Rescue Plan service.

This rescue plan has 36 pages.

# Contents

1	Introduction . . . . .	5
2	Basic property information . . . . .	7
2.1	Basic information . . . . .	7
2.2	Organisation . . . . .	7
2.3	Other information . . . . .	8
3	Division of responsibility . . . . .	9
4	Important phone numbers . . . . .	10
4.1	Important numbers of the property . . . . .	10
4.2	Other important numbers . . . . .	10
5	Risks . . . . .	11
5.1	Accidents . . . . .	11
5.2	Fire hazards . . . . .	12
5.3	Water damage . . . . .	13
5.4	Cases of illness . . . . .	14
5.5	Radiation or gas hazard . . . . .	15
5.6	Storm damage . . . . .	16
5.7	Criminal activity . . . . .	16
6	Safety procedures . . . . .	18
6.1	Extinguishing equipment . . . . .	18
6.2	Safety equipment . . . . .	18
6.3	Fire safety . . . . .	19
7	Action guidelines . . . . .	22
7.1	Alerting help . . . . .	22
7.2	Sudden illness or accident . . . . .	23
7.3	Fire . . . . .	23
7.4	Fire action guide, when safe exits are blocked . . . . .	24
7.5	Action in the gathering area . . . . .	25
7.6	Assisting people with reduced mobility in emergency situations . . . . .	26
7.7	Water damage . . . . .	26
7.8	Under threat of violence . . . . .	26
7.9	Public warning signal . . . . .	27
7.10	Gas hazard . . . . .	28
7.11	Radiation hazard . . . . .	28
7.12	Blackouts . . . . .	29
8	Civil defence . . . . .	30
9	Storing in the property . . . . .	31

---

10	Attachments . . . . .	32
	Appendix A How to use a small fire extinguisher . . . . .	33
	A.1 Extinguishers . . . . .	33
	A.2 Extinguishing blankets . . . . .	33
	A.3 Fire hydrant . . . . .	34
	Appendix B Home storage supplies . . . . .	35
	Appendix C Shared rock shelters . . . . .	36

# 1 Introduction

The drafting, upkeep and communication of the rescue plan are based on the requirement of the Rescue Act (379/2011). In this rescue plan, there is an account:

1. for the conclusions of the assessment of hazards and risks;
2. for the safety arrangements of the building and the premises used in the operations;
3. regarding the instructions to be given to people for the prevention of accidents and acting in accident and danger situations;
4. other possible actions for independent preparation at the location. (Rescue Act 379/2011, Section 15))

The rescue plan must be kept up to date and it must be communicated in the necessary way to the persons in the relevant building or other site. (Government Decree on Rescue Action 407/2011, Section 2.)

There are also other requirements for safety in the Rescue Act; the most important of these are: The owner and holder of the building and the operator must, for their part take care that the building, structure and its surroundings are kept in such condition that:

1. the risk of the starting, intentional starting and spreading of a fire is slight;
2. the people in the building can vacate the building in the event of fire or other sudden danger situation or they can be rescued in another way;
3. rescue operations are possible in the event of fire or another accident;
4. the safety of rescue personnel has been taken into account. (Rescue Act 379/2011, Section 9))

The following equipment and devices must be kept in working order and serviced and inspected appropriately:

1. extinguishing, rescue and prevention equipment;
2. devices that facilitate extinguishing and rescue work;
3. fire detection, alarm and other devices signalling the risk of an accident;
4. the lighting and signs of the exit routes;
5. the equipment and devices of the civil defence shelters (Rescue Act 379/2011, Section 12))

The owner and holder of the building and the operator must, for their part:

1. the starting of fires is to be prevented, as well as the arising of other hazardous situations;
2. the protection of persons, property and the surroundings in danger situations is to be prepared for;
3. the extinguishing of fires, and other such rescue measures that they are able to do independently, are to be prepared for;
4. start action for securing safe exit from fires and other danger situations, as well as action for

---

making rescue operations easier. (Rescue Act 379/2011, Section 14))

## 2 Basic property information

Renovations for the buildings are undergoing. Staircase C has been finished, staircase B will be finished in 10/2017 and staircase A will be finished in 1/2018.

### 2.1 Basic information

<b>Property name</b>	TKY 5
<b>Building address</b>	Jämeräntäival 7 02150 ESPOO
<b>Number of apartments</b>	131
<b>Building type</b>	Apartment building
<b>Number of floors</b>	5
<b>Year of construction of the property</b>	1952
<b>Property owner</b>	AYY - Aalto-yliopiston ylioppilaskunta tel. 050 5209400 <a href="http://aay.fi">http://aay.fi</a>
<b>Housing management office</b>	AYY - Aalto-yliopiston ylioppilaskunta tel. 050 5209400 <a href="http://aay.fi">http://aay.fi</a>

### 2.2 Organisation

<b>Property manager</b>	Hannes Helminen Aalto-yliopiston ylioppilaskunta phone 050 5897519 <a href="mailto:hannes.helminen@aay.fi">hannes.helminen@aay.fi</a>
<b>Huoltomestari</b>	Janne Kankaisto Aalto-yliopiston ylioppilaskunta phone 050 5209337 <a href="mailto:janne.kankaisto@aay.fi">janne.kankaisto@aay.fi</a>

## 2.3 Other information

The site falls within the area of the following rescue service: Western Uusimaa.

<b>Main water shutoff</b>	Basement A, basement C (movables storage), basement B
<b>Electricity switchboard</b>	In buildings A, B and C. Power point from JMT 3
<b>Ventilation device</b>	TKY 5 - A1
<b>Air ventilation emergency stop</b>	At the entrance
<b>Maintenance</b>	Tapiolan Lämpö Oy phone 020 7505380 service 020 7505380
<b>Insurance company</b>	Fennia tel. 010 5031 <a href="http://www.fennia.fi">http://www.fennia.fi</a>
<b>Gathering area</b>	Park area in front of Servinmökki
<b>Back-up gathering area</b>	The neighbouring properties



*Entry to technical premises  
marked with signs*



### 3 Division of responsibility

Party	Area of responsibility
<b>Property management</b>	Responsible for the management of the entire property, managing maintenance contracts and equivalent matters, addressing reported security or other breaches or assigning them to other parties. The manager is the contact person for regulatory control and other such matters and participates in e.g. fire inspection rounds
<b>Property maintenance</b>	Responsible for the technical systems and security devices on the property, management of the yard area, necessary snow clearing etc. The maintenance person observes any issues while moving around the property and manages them on their own or reports the issue to the manager.
<b>Resident</b>	The resident is responsible for their own living area and storage booth as well as their movables and operations in the company. The property systems or fixed structures on the residents' premises are managed by the maintenance company.
<b>Normal information flow</b> in terms of deficiencies: Resident--- Maintenance company --- Management	

**The residents can report the safety observations or other deficiencies to the maintenance or the property management by phone or by e-mail, the necessary contact information can be found e.g. in the "Organisation" chapter of this plan.**

## 4 Important phone numbers

### 4.1 Important numbers of the property

Task	Name	Telephone number	Service phone number
Maintenance company	Tapiolan Lämpö Oy	020 7505380	020 7505380

### 4.2 Other important numbers

Operator	Telephone number	Duty hours
Public emergency numbers	112	24 h
Poison information centre	0800 147 111	24 h

## 5 Risks

From the point of view of safety and security, a risk is the combination of the probability of an accident happening and the possible consequences. Recognising risks in any property is an important part of safety and security. In the following pages, risks related to individuals, property, and environment are recognised. For all recognised risks, there are suggestions on how to act accordingly to eliminate, diminish, and manage risks. Only a recognised risk can be controlled.

Risk classifications concerning the property and people:

- Accidents
- Fire hazards
- Water damage
- Cases of illness
- Radiation or gas hazard
- Storm damage
- Break-ins, vandalism, etc.

### 5.1 Accidents

#### Risks

- falling down
- slipping
- tripping
- snow or ice falling down on people or property
- traffic accidents
- drowning
- obstacles along the rescue route

## Consequences

- damage to property
- personal injuries
- death

## Actions and safety and security preparations

- The Board of Directors has delegated the responsibility for sanding services, monitoring the snow and ice dropping need and snow clearing to the maintenance company.
- The Board of Directors supervises the operations and deals proactively in case of deficiencies.
- The Board of Directors may forbid snow dropping by the company and deal with it.
- The accumulation of snow and ice on the roofs must be monitored in the winter.
- Any hazardous areas must be immediately notified to the maintenance company.
- In danger situations transit or parking must be prevented in the areas with a danger of snow or ice falling.
- The year area must be kept clean and in good condition.
- Near miss situations should be dealt with immediately. Near miss situations shall be examined and necessary measures performed in case of similar events and to prevent them.
- Everyone should familiarise themselves with the general first aid guidelines.

## 5.2 Fire hazards

### Risks

- short circuits
- fire caused by a broken electronic appliance
- grease or other fire in the kitchen
- careless smoking
- arson
- a fire caused by children playing
- accidentally leaving electronic appliances on
- storing items in passageways
- storing items in staircases
- fire hydrant servicing not done
- obstacles along the rescue route

Fire-hazardous locations are, for example the kitchen of the apartments, sauna and storage space, the laundry room, club facilities, technical areas and other equivalent property areas.

## Consequences

- damage to property
- smoke damage
- personal injuries
- death

## Actions and safety and security preparations

- Exiting safety must be maintained:
  - exit routes must be free of obstacles
  - defects must be dealt with proactively.
- The property must have a smoke extraction system that will be inspected, maintained and tested in accordance with the maintenance programme of the system manufacturer.
- Each resident is responsible for the operating condition of their own fire alarm/ alarms.
- The property has fire alarms that are connected to the mains power
- The rescue plan shall be kept up-to-date and it must be studied.
- Flammable substances must be kept in a location specified for them.
- Electric works and installations shall be assigned to a professional in the TUKES registry.
- Maintaining lighting and general cleanliness on the property is important.
- Near miss situations should be dealt with immediately, they shall be examined and necessary measures performed in case of similar events and to prevent them.
- Main electricity switchboards have been marked and no objects shall be stored in front of them.

## 5.3 Water damage

### Risks

- flood
- heavy rain
- waterproofing failure of structures
- an accident caused by structural and material errors
- washing machines and refrigerators breaking down
- vandalism
- broken pipes

## Consequences

- damage to property

## Actions and safety and security preparations

- The location of the main water stopcocks is marked.
- HWA works, inspections, and installations are contracted only to professionals.
  - An HWA contractor must possess sufficient installation certificates and the contractor must have done similar work before.
  - HWA inspections are carried out in accordance with the service programme.
- An assessment of the state of the plumbing is carried out regularly.
- Independent change construction and other building work must be supervised and defects concerning the building must be intervened in immediately.
- Supervised use of household appliances and emphasising the importance of their maintenance.
  - The filters and lint strainer in the dish washer and the laundry machine must be cleaned once a month.
  - It is recommended to vacuum behind the fridge once a month, or at least once a year. When you do this, it is recommended to have a quick look at the compressor and drain pan as well.
  - A drain pan should be installed under every larger kitchen appliance (e.g. fridge, freezer, dishwasher, and sometimes laundry machine), which will make the detection of water damage faster and easier.
- Leaves on the roof and in the gutters should be removed in late autumn.
- Pre-emptive maintenance of washing machines. Maintenance is to be done yearly by a professional and certified business.

## 5.4 Cases of illness

### Risks

- heart failure
- diabetic shock
- stroke
- cerebral haemorrhage
- epilepsy
- fainting
- obstacles along the rescue route

## **Consequences**

- personal injuries
- death

## **Actions and safety and security preparations**

- Guaranteeing speedy access to help within the property.
- Everyone should familiarise themselves with the first aid guidelines attached to the rescue plan and giving first aid should be rehearsed.
- Listing individuals skilled in first-aid is recommended.
- The stopping of rescue vehicles outside the exterior doors is to be made possible.

## **5.5 Radiation or gas hazard**

### **Risks**

- a transport accident when transporting a hazardous substance
- an accident in a nuclear power plant
- a fire in the nearby area

### **Consequences**

- radiation sicknesses
- death

### **Actions and safety and security preparations**

- Acquiring iodine pills as needed (2 tablets per person).
- Stocking up on home storage supplies.
- The air ventilation emergency stop is marked with signs.
- The safety and security organisation must be aware of the air ventilation emergency stop's location.
- Making a guide in case of accidents involving dangerous substances.
- There are instructions for different situations in the rescue plan.
- Everyone must familiarise themselves with the operating instructions.

## 5.6 Storm damage

### Risks

- various natural phenomena

### Consequences

- blackouts
- damage to property
- personal injuries
- death

### Actions and safety and security preparations

- A knowledgeable maintenance company will check roofs and gutters, and fix deficiencies.
- Checking the trees on the property.
- Removal of dangerous branches.
- General maintenance of the yard.
- The curfew set by the authorities must be respected.
- When taking shelter indoors, you must stay away from windows and glass doors.
- Prepare yourself independently for long power blackouts by, for example:
  - home storage supplies
  - a lamp and batteries
  - candles and fire-making tools
  - a battery-operated radio

## 5.7 Criminal activity

### Risks

- apartment break-in
- basement break-in
- graffiti
- ruining and destruction of property



### **Consequences**

- damage to property

### **Actions and safety and security preparations**

- Control of general cleanliness and order and actively addressing issues.
- Cleanliness and order are a part of security.
- Maintenance of the locks on the front doors.
- Marking and imaging valuables.
- Cleaning graffiti and other scribbling immediately.

## 6 Safety procedures

### 6.1 Extinguishing equipment

Location	Extinguishing equipment
In shared flats	Fire blanket
In the stairways	Fire hydrant

#### Fire hydrants should be inspected:

- The functionality of the rapid fire hydrants should be checked every year. A pressure test for the rapid fire hydrant hoses should be performed at five-year intervals.


### 6.2 Safety equipment

#### Smoke extraction

The purpose of smoke ventilation is to remove fire gases, smoke and heat from the premises. The smoke ventilation equipment must be maintained and tested regularly according to the user maintenance instructions. The smoke ventilation equipment may only be used by the rescue services.

#### Smoke removal machine

Location of smoke extraction hatches	In the stairways
Smoke removal activation	At the entrance



*Smoke removal hatches in stairways*

### Ventilation emergency stop

If the building is subjected to an external danger, such as fire gases from an adjacent building, the ventilation must be shut off. In such a case, the rescue authorities usually issue an emergency warning, providing additional instructions, such as to turn off ventilation systems.

**Air ventilation can be stopped by anyone.**

Ventilation emergency stop: At the entrance



*IV emergency stop and smoke removal launch systems at entrances*

## 6.3 Fire safety

### Smoke detector

The purpose of fire alarms is to alert of any imminent fire. This will enable measures to extinguish the fire, warn others and take rescue measures.

#### Smoke detector

Location	In flats 1 / starting 60 m2
System model	Mains
Type of alarm	Localised alarm

### Rescue route

The rescue way is a drive way, which the rescue department's vehicles can use in emergency situations to reach to within close proximity of the building.

- It is not permitted to park cars, pile up snow, set up lampposts, plant vegetation, or do, leave, or set up anything else that might block traffic on the rescue way.
- Escape routes must be indicated with a text sign in accordance with Ministry of the Interior decree no. 468 of 2003.
- A rescue way sign is not used if the rescue way is not marked in the building's construction permits.
- Please contact rescue authorities for advice on any escape route questions.

### Rescue route

Location From Jämeräntäival to the entrances.



*Lifting places marked*



*Rescue roads*

### Emergency exit routes

The principle of exit safety is that all spaces of the building must have at least two exit routes at all times, which do not require keys or other tools to open the doors. Exiting must also be possible to do in the dark, which is why the exit routes must be clear at all times. Because the property has 5 floors, the window or apartment-specific balcony shall serve as an emergency exit. In this event, the rescue department shall assist in evacuating the building in case of emergency. Objects are not to be stored in front of the exits. (Environment Ministry's regulation of fire safety of buildings.)

Exit ways and doors leading to them must be easily accessible and openable in emergency situations from the inside.

A door can be locked, for example, to prevent trespassing from the outside, but must it must be possible to open it from the inside without a key during the normal use of the building.

**Never exit into a smoky stairway.**

The rescue department lifting equipment can be used to rescue from the communal balconies of the shared flats

## Hot work

Hot work is defined as work in which sparks arise or in which naked flames or other heat sources are used and may cause a fire hazard. Such work includes e.g. oxyacetylene and arc welding, flame and arc cutting, disc cutting and metal grinding, which create sparks, as well as work involving the use of gas burners, other open fire or combustion air blowers.

Performing hot work at a temporary hot work site always requires a permission granted by a person responsible for the hot work. The hot work permission ensures the actions of the different parties regarding safety and fire protection. The person conducting the hot work must have a hot work licence.

The property manager office grants the hot work permissions.

## 7 Action guidelines

The following pages contain a guide on accident prevention and on how to act in accident and danger situations. **Read the action guide carefully!**

The correct actions, solutions, and choices prevent and limit accidents. This way accidents can be minimised or they can be prevented altogether.

**Safety and security are our shared concern!**

### 7.1 Alerting help

In all urgent emergency situations, whether it be a police, fire department, paramedic, or a social worker case involving an urgent need for help **CALL THE EMERGENCY NUMBER: 112**

#### **Call the emergency number yourself if you can**

It is important to make the emergency call yourself, if the matter concerns you. The victim has more knowledge on the situation, based on which the dispatcher can send help accordingly. Using middle-men to make the call can delay getting the right kind of help on site.

#### **Tell what happened**

The emergency centre dispatcher will ask the caller about what happened so that they can send the appropriate assistance.

#### **Give the exact address and municipality**

The emergency centre might have several same addresses in different municipalities/cities in its service area. Therefore it is also important to know the name of the town/city/municipality where the accident has taken place.

#### **Answer the questions that are asked of you**

The questions asked by the dispatcher are important. They do not delay alarming for help. In urgent cases the dispatcher already alerts the authorities and other partners during the call, and gives them more information on what has happened.

#### **Act according to the information given to you**

The dispatcher is trained to give instructions in various types of situations. It is important to follow the given instructions. Correct initial actions often play an important role in the end result.

#### **End the call only after you're given permission to do so.**

Ending the call too soon may delay the help from arriving. After you are given the permission to end the call, end it. Keep the phone line open. The dispatcher or the help on its way may need additional information on what has happened.

## 7.2 Sudden illness or accident

### Find out what happened

- Has the person fallen or fainted?
- Are there possibly eye witnesses, that can tell you better about what has happened?

### Check the person's condition

- Can you wake the person up by talking or shaking?

### Check breathing

- If the person doesn't wake up, check breathing: place the back of your hand in front of the patient's mouth and feel if there is air flow.

### Make an emergency call.

- Call the number **112**.
- Tell where you are calling from.
- Tell what happened
- Act according to directions.

### Give first aid if needed.

- If the person is not breathing, start with first aid.

### Turn an unconscious but breathing patient into the recovery position on their side.

### Observe the patient.

- If there are changes in the patient's condition before the rescue department arrives, notify them by calling the emergency number **112**, so that the emergency centre can re-evaluate your situation.

### Guide the professional help quickly to the patient

- Tell the professional help what has happened and what has been done.

## 7.3 Fire

### Save

- Make an assessment of the situation. Rescue those in immediate danger.
- Be careful not to breathe smoke! Smoke is highly toxic and you can lose consciousness quickly if you breathe it.

### Warn

- Warn others in the building about the fire and the threatening danger.
- Direct people to the gathering area.

### Alert

- Call the emergency number **112** from a safe location.
- Tell who you are, where the fire is (address and floor), what is on fire, and if there are people

in danger.

- Do not hang up the phone until you are given permission to do so.

### **Extinguish**

- Perform initial extinguishing measures, where possible.
- A grease fire is extinguished by suffocating it with a fire blanket.
- When an electrical appliance is on fire, disconnect power and begin extinguishing the fire.

### **Limit**

- Remove fire sensitive items and flammable liquids.
- Contain the spread of fire and smoke by closing windows and the door as you exit.

### **Guide**

- Direct the rescue personnel to the location or arrange guidance. For example: one person stays to guide on the side of the parking lot and another next to the building.

In evacuation situations the gathering area is: Park area in front of Servinmökki

Back-up gathering area: The neighbouring properties

## **7.4 Fire action guide, when safe exits are blocked**

Sometimes a fire in another location prevents safe exit from the building. In these cases it is smartest to stay in a smokeless space and keep all doors and other openings closed.

### **Stay in the apartment and remain calm.**

- In apartment buildings, each apartment is its own fire compartment, and the spreading of fire from one apartment into the others has been prevented by structural measures.
- Jumping from a height has fatal consequences, remaining in the apartment doesn't.

### **Go to a balcony or to a window and attract attention.**

- by shouting
- by flashing lights
- by waving something visible
- you can also call 112 and tell the exact address of where you are.

### **Prepare for the spreading of the fire.**

- As a precaution, fill the bathtub and sink with water.
- If smoke starts to get in to the apartment from cracks in the door, the postbox, or through air ventilation, air out the apartment with fresh air and seal the leaking cracks and openings with wet textiles.
- If the apartment door starts heating up, cool it down with water.
- If flames start hitting the apartment windows, move easily flammable items away from the window.



Follow directions from the authorities.

## 7.5 Action in the gathering area

**Gathering area:** Park area in front of Servinmökki

When people have left the building and proceeded to the gathering area, one person must be appointed to take responsibility for the activities at the gathering area. Based on the situation at hand, it is necessary to consider whether it is safe to remain in the designated gathering area or if people should be directed elsewhere, for example into a pre-arranged interior area or to a property in the vicinity (the back-up gathering area).

Do not leave the gathering area without the permission of the rescue authorities.

Factors to bear in mind in the gathering area:

- taking care of any possible injured parties
- looking after people with reduced mobility or otherwise poor physical condition
- if one is aware of someone having remained inside, this is to be reported

### Back-up gathering area

**Back-up gathering area:** The neighbouring properties

In severe winter conditions or other situations, an additional gathering area may be needed. Authorities will also provide instructions about shelter locations for long-term shelter.

## 7.6 Assisting people with reduced mobility in emergency situations

In an emergency situation, the movement of people with reduced mobility out of the building may be difficult and slow. If you know there is a neighbour with reduced mobility, for example handicapped, blind, or elderly, try to secure their safe exit in emergency situations. If you know your neighbour is at home, but you are not able to assist in moving them out, notify the rescue authorities about the situation as fast as possible.

Work in cooperation with the other residents.

### Things to consider when helping people with reduced mobility

- Help a person with reduced mobility to exit, within the limits of your own capabilities.
- Listen to the person you're helping.
- Take care of the person you helped also after getting out.

## 7.7 Water damage

### Action guide

- Disconnect power from where the leak is and from its proximity.
- Stop the water from flowing, from i.e. the water mains, if possible.
- Notify of the situation immediately:
  - to the maintenance personnel: Tapiolan Lämpö Oy, phone 020 7505380, service 020 7505380
- Contact the emergency number if needed **112**.
- Main water shutoff: Basement A, basement C (movables storage), basement B
- Electricity switchboard: In buildings A, B and C. Power point from JMT 3

### Should there be threat of water outside the building

- Find out what is causing the water threat.
- If there is a leak, try to block it.
- Try to prevent the water from getting into the building.
  - by baggings
  - by using plastic covers
  - by directing the water away from the building
- Call for additional help if needed.

## 7.8 Under threat of violence

In an unarmed threatening situation, act in the following way.

- Act calmly and try to calm the person with your behaviour.
- Make sure you do not turn your back or let yourself be cornered, so that you will always have an escape route when a threatening person comes close.
- Call for help depending on the circumstances.
- Escape and help others escape.

Take care of your own safety. Seek to direct the threatening person to a place where they cannot harm others. After the event, contact the police about the incident if required.

**If the threatening person is armed, act in the following way.**

- Do not resist.
- Do whatever the person threatening you tells you to do.
- As the situation permits, try to warn others.
- By closing doors, you can limit a person's movement within the property.
- After the situation, call **112** to get professional help on site as fast as possible. Listen to directions and act accordingly.

Every threat and sighting of a possibly threatening situation must be taken seriously and the police must be informed immediately. Through your own behaviour, you can affect the progress of the situation, and thus you should take all threatening situations seriously and try to calm down already begun situations.

## 7.9 Public warning signal

**The public warning signal** is a one-minute-long ascending and descending tone or a warning announcement by the authorities. The length of the ascending tone is 7 seconds.

The public warning signal means an immediate danger threatening the public. The warning is given in population centres with an outdoor alarm system and with an alarm attached to a vehicle in rural areas.

**The All Clear signal** is a one-minute-long monotonous signal. It is an announcement of the threat or danger having passed.

**Act in the following way after you've heard the public warning signal**

- Proceed indoors.
- Stay indoors.
- Close doors, windows, ventilation holes, and air conditioning devices.
- Turn on the radio and wait for instructions.
- Avoid using the phone to prevent telephone lines from getting jammed.
- Do not leave the areas unless urged to do so by the authorities, so as not to endanger yourself on the way.

## 7.10 Gas hazard

### Public warning signal in danger situations concerning gas

Additional information on the type of danger can be got from radio and television. The following are usually connected with a gas hazard.

- If you are indoors and can smell gas:
  - stay indoors
  - the top floors make the best shelter
  - place a wet cloth over your mouth and breathe through it
  - stay on the upper floors until the danger is over
  - do not go into the basement.
- If you are outside when you smell gas but are not able to get indoors:
  - hurry into side wind from underneath the gas cloud
  - try to get as high as possible, for example to the top of a hill
  - press a wet cloth, tuft of grass, turf, or moss in front of your mouth and breathe through it.

### Additional information on taking cover from gas

- Switch off air conditioning devices and close doors and windows tightly. The more airtight you can make the building, the slower the gas can get inside.
- You can also close or tape inside doors and stay in upwind areas. If you smell gas you can breathe through a moist and spongy cloth.
- The authorities will announce on radio or with vehicles with loudspeakers when the gas cloud has dispersed. Ventilate indoors well after the event.

## 7.11 Radiation hazard

Radiation situations are monitored with gauges throughout the country. Even the slightest change is detected immediately and notified of. A public warning signal is given upon the threat of radiation.

### Go inside

Close doors, windows, ventilation holes, and air conditioning tightly to prevent radioactive substances from getting indoors. The centre and basement of the building are the best places to take shelter.

### Iodine tablets

Take an iodine tablet only when the authorities tell you to do so either on the radio or on television. Iodine tablets prevent radioactive iodine from building up in the thyroid gland, but offers no other protection. You should not go outside the facilities to look for iodine tablets when the danger situation is present. You can acquire iodine beforehand from the pharmacy. Each property should have 2 iodine tablets per person.

**Protect your food and drinking water**

Put the food products that are out into plastic bags or tight containers. The refrigerator, freezer, and tight packages protect against radioactive dust.

**Moving outside**

If you must go outside, use tight clothing that covers the skin, for example rain gear. Upon coming back inside, take off your clothes in the entry hall and wash up well. Use a respiratory mask, towel, or paper towel to prevent radioactive particles from getting to your lungs.

**Additional instructions**

You will get additional information from your city's rescue authorities, from broadcast media, and from Yle's (the Finnish Broadcasting Company's) Teletext page 867. You can also find information from the Finnish Radiation and Nuclear Safety Authority's website [www.stuk.fi](http://www.stuk.fi) and from the rescue authorities website [www.pelastustoimi.fi](http://www.pelastustoimi.fi).

## **7.12 Blackouts**

How to act during a power cut:

- First check the fuses. If they are intact, find out whether the electricity of your neighbour or neighbouring houses is working.
- If the electricity is out from a larger area, the problem is already known and actions to fix it have started. Most electricity suppliers have a taped recording of the malfunction on its fault service number, which will give information on the blackout situation in your area.
- When the electricity comes back but acts unusually, for example the lights burn brighter or dimmer than usual, the reason might be a break in the electricity network's neutral wire. This can result in equipment damage, fire and, in the worst case, the risk of electric shock. In such situations, switch off the electricity from the main switch and call your electricity supplier's fault emergency number.
- When a power cut lasts longer, prepare yourself with warm clothes, especially in the winter, and home storage supplies. Instructions regarding home storage supplies can be found in the appendices.

## 8 Civil defence

This property does not have its own civil defence shelter. The property is part of the general civil defence district. Rescue operations are dependent on regional population protection. Rescue operations are also prepared to operate in exceptional conditions. The core tasks are detecting threats and warning about them, maintaining ability to protect the population and taking care of rescue operations and the required additional resources. The objective is the most efficient operation possible in accident situations under exceptional circumstances.

The area rescue authorities work together with the municipalities in the area on civil defence and protection matters. The rescue authorities also ensure their own organisation's preparedness for civil defence in exceptional situations. In civil defence, the necessary rescue, first aid, ambulance, and maintenance set-ups are created only in exceptional circumstances. In these tasks, there are approximately 85,000 people nationwide.

There are 110,000 spaces altogether in the civil defence shelters of Finland. The authorities will give directions via radio if you are supposed to move to a civil defence shelter, along with the information to which shelters people are supposed to go. Moving into the civil defence shelters therefore always happens as a result of direction by the authorities. Accidents occurring in normal times do not generally ever require taking cover in civil defence shelters, with taking cover indoors being sufficient.

The civil defence shelter nearest to the property is **Yhteiskalliosuoja**.

## 9 Storing in the property

Storage of different kinds of objects may lead to a hazard of fire starting or spreading, the prevention of safe exit in an emergency situation and increased difficulty in extinguishing the fire. It is easier to prevent a fire pre-emptively than to extinguish it. For this reason it is necessary to know what causes fires and to recognise the hazardous factors in one's own immediate environment. Rescue law contains directives on, for example, the storage of easily flammable materials and other objects within buildings. Legislation on chemicals contains restrictions on storage of flammable liquids and other dangerous chemicals in spaces where they can cause an exceptional hazard. Many substances which are kept at home also generate explosive gases that ignite from a spark, for example the spark caused by a light switch - so fire is not even needed for ignition. Therefore always handle fire- hazardous substances in accordance with instructions. **Storing fire hazardous substances in apartment-specific storage rooms is strictly forbidden.** Storing them in apartments and garages is limited.

**The building's exit hallways and staircase areas must be kept walkable and clear of any obstacles.**

### **Apartments and the balconies, terraces or equivalent areas belonging to them**

- If storage is possible without endangering safety, the following can be stored:
  - flammable liquids and aerosols containing flammable liquids or flammable gases, up to a maximum amount of 25 litres
  - up to 25 kg of liquid gas
  - fireworks, up to 5 kg (net weight), must be stored in a locked closet accordingly with no heat sources or handling of fire, which could cause the fireworks to explode
- **Flammable gases, other than the aforementioned, must not be stored in the apartment.**
- **Storing of unnecessary items in the apartments should be avoided.**

### **Exit corridors, staircases, inside hallways, basement and storage area passages**

- It is not permitted to store any items.

### **Loose fittings storage units**

- Do not store easily flammable material.
- Liquefied petroleum gas is not to be stored in loose fittings storage units.
- No storing of petrol, gas bottles, or other flammable fluids.
- Firework devices are not to be stored in the apartment-specific storage spaces of the loose fittings storage units or in public spaces in common use.

### **Under or near buildings**

- It is not permitted to store flammable material or other goods by the walls of the building, e.g. garbage containers, piles of cardboard, or transportation trays
- Refuse containers outside, as well as refuse shelters, are to be positioned at least 8 metres

away from the building

**A separate storage space belonging to the residential building residential building)**

- It can store:
  - flammable liquids and aerosols containing flammable liquids or flammable gases, up to a maximum total amount of 50 litres
  - up to 50 kg of liquid gas

**Attention!**

- The rescue authorities can permit single case exceptions, for example for storing a larger amount or allowing storage in a different place or limit storing, if safety requires that

## 10 Attachments

This rescue plan has the following attachments:

- How to use a small fire extinguisher
- Home storage supplies
- Shared rock shelters



## Appendix A How to use a small fire extinguisher

The resident is responsible for acquiring extinguishing equipment for the apartment.

### A.1 Extinguishers

- Turn the extinguisher upside down and shake the extinguisher to ensure the powder's running.
- Remove the safety pin.
- Approach the fire from the direction of the wind.
- If you are indoors, approach low on the floor, as this will improve the visibility.
- Take a hold of the extinguisher's hose from the end and direct the extinguishing substance at the base of the flames, don't cut through them.
- Start extinguishing from the front and continue towards the back, or from bottom to top.
- Extinguishing can be improved with a back and forth motion.
- The whole area that is burning must be covered in the extinguisher cloud.
- After the flames are extinguished the extinguishing can be stopped.
- Observe the burnt object and make sure that the fire is out.
- If the target catches fire again, repeat the extinguishing.

### A.2 Extinguishing blankets

- Take a hold of the corners of the blanket and protect your hands by placing them inside the blanket.
- Step on the blanket with your foot; this will prevent the flames from getting to your face.
- If you are outside, approach the fire from the direction of the wind.
- Extend your arms straight.
- Spread the blanket over the fire.
- Hold the blanket tightly over the fire and make sure that the fire is extinguished.
- Protect yourself while lifting the blanket as the fire can re-ignite.
- Make sure once more that the fire is extinguished.

### **A.3 Fire hydrant**

- Open the fire hydrant cabinet. If necessary, break the plastic covering of the lockguard by, for example, hitting it with your elbow.
- Open the stopcock and pull out as much hose as you need.
- Turn on the nozzle at the end of the hose and begin extinguishing from a safe distance.
- Direct the water jet at the base of the flames and continue until the fire has been extinguished.
- Make sure the fire has been put out. Suffocate or wet all possibly still- smouldering spots.

Do not put yourself in danger. Avoid breathing smoke. If the extinguishing is not succeeding, move to safety. Close the door to the space to limit the fire.

## Appendix B Home storage supplies

Home storage supplies are a part of a housing company's residents' independent protection. Surprising circumstances are easier to overcome when you have a home storage supply at home. Home storage supply means those food and other daily goods that are stocked up on more than normally needed in weekly/monthly use. The home storage supply should last for several days, even a week. The home storage supply consists of everyday groceries and items, which are stocked up on as they are used up. This way the groceries and other items stay fresh and usable.

A situation where you cannot get to the store can surprise you for many reasons. A person living alone can get sick and is not able to go shopping or a member of the family can fall sick. The wider society is vulnerable as well; there can be a strike, traffic connections may break down, or there might be a wider disturbance in the electricity grid. There can be an accident which closes the stores or prevents you from going outside. Additionally, distribution disturbances can prevent goods from getting to the stores as well as getting items from the store.

Each family has their own kind of home reserves consisting of usual groceries. The contents of the home reserves can differ based on the household's food preferences and also include containers for storing water, medicine, iodine tablets, as well as household-specific necessities. The home reserves should last at least a week, preferably two – home reserves are continuously used and restocked continuously.

The home reserves also include essential supplies, of which there must be a supply for the same period as in the case of food. These are, amongst others, personal medication, hygiene products, nappies, a battery-powered radio, an electric flashlight and batteries.

A	Line	Mahto	Wch	Relejo
1	27m	100 L		
2	27m	100 L		
3	27m	100 L		
4	27m	100 L		
5	27m	100 L		
6	27m	100 L		
7	27m	100 L		
8	27m	100 L		
9	27m	100 L		
10	27m	100 L		
11	27m	100 L		
12	27m	100 L		
13	27m	100 L		
14	27m	100 L		
15	27m	100 L		
16	27m	100 L		
17	27m	100 L		
18	27m	100 L		
19	27m	100 L		
20	27m	100 L		
21	27m	100 L		
22	27m	100 L		
23	27m	100 L		
24	27m	100 L		
25	27m	100 L		
26	27m	100 L		
27	27m	100 L		
28	27m	100 L		
29	27m	100 L		
30	27m	100 L		
31	27m	100 L		
32	27m	100 L		
33	27m	100 L		
34	27m	100 L		
35	27m	100 L		
36	27m	100 L		
37	27m	100 L		
38	27m	100 L		
39	27m	100 L		
40	27m	100 L		
41	27m	100 L		
42	27m	100 L		
43	27m	100 L		
44	27m	100 L		
45	27m	100 L		
46	27m	100 L		
47	27m	100 L		
48	27m	100 L		
49	27m	100 L		
50	27m	100 L		
51	27m	100 L		
52	27m	100 L		
53	27m	100 L		
54	27m	100 L		
55	27m	100 L		
56	27m	100 L		
57	27m	100 L		
58	27m	100 L		
59	27m	100 L		
60	27m	100 L		
61	27m	100 L		
62	27m	100 L		
63	27m	100 L		
64	27m	100 L		
65	27m	100 L		
66	27m	100 L		
67	27m	100 L		
68	27m	100 L		
69	27m	100 L		
70	27m	100 L		
71	27m	100 L		
72	27m	100 L		
73	27m	100 L		
74	27m	100 L		
75	27m	100 L		
76	27m	100 L		
77	27m	100 L		
78	27m	100 L		
79	27m	100 L		
80	27m	100 L		
81	27m	100 L		
82	27m	100 L		
83	27m	100 L		
84	27m	100 L		
85	27m	100 L		
86	27m	100 L		
87	27m	100 L		
88	27m	100 L		
89	27m	100 L		
90	27m	100 L		
91	27m	100 L		
92	27m	100 L		
93	27m	100 L		
94	27m	100 L		
95	27m	100 L		
96	27m	100 L		
97	27m	100 L		
98	27m	100 L		
99	27m	100 L		
100	27m	100 L		